CANADIAN JOURNAL OF BOTANY

JOURNAL CANADIEN DE BOTANIQUE

Volume 66, 1988

Author Index / Index des auteurs

Abad, A.R., Cease, K.R., and Blanchette, R.A. A rapid technique using epoxy resin Quetol 651 to prepare woody plant tissues for ultrastructural study, 677

Abeysekera, R.M., and Willison, J.H.M. Development of helicoidal texture in the prerelease mucilage of quince (*Cydonia oblonga*) seed epidermis, 460

Acharya, S.N. see Jana, S., 635

Adams, M.S. see Madsen, J.D., 2523

Agaev, R., Lecocq, F.M., Fer, A., et Hallet, J.N. Étude de l'action d'un herbicide, le chlorthal, sur la prolifération cellulaire et la croissance de la tige du *Cuscuta lupuliformis*, 328

Agerer, R. Studies on ectomycorrhizae. XIV. Mycorrhizae formed by *Cortinarius hercynicus* and *C. variecolor* on *Picea abies*, 2068

Ahmim, M. see Cappadocia, M., 1003

Aiken, S.G., Lefkovitch, L.P., Darbyshire, S.J., and Armstrong, K.C. Vegetative proliferation in inflorescences of red fescue (*Festuca rubra* s.l., Poaceae), 1

Aldrich, H.C. see Roos, U.-P., 2499

Amthor, J.S., and Cumming, J.R. Low levels of ozone increase bean leaf maintenance respiration, 724

Amundson, R.G. see Reich, P.B., 207

Amundson, R.G. see Stroo, H.F., 1510

Amundson, R.G. see Reich, P.B., 1517

Andary, C., Rascol, J.P., Puech, S., Roussel, J.L., et Privat, G. Les esters de l'acide caféique dans la chimiotaxinomie des *Teucrium* de la section *polium* (Lamiaceae), 1007

Anderson, R.C. see Dhillion, S.S., 706

Anderson, R.C. see Cerligione, L.J., 757

Andersson-Bringmark, E. see Folkeson, L., 417

Andrews, C.J. The increase in survival of winter cereal seedlings due to light exposure during ice encasement, 409

Anthony, M., Westphal, E., et Sattler, R. Proliférations épiphylles provoquées par l'acarien *Eriophyes cladophthirus* chez le *Solanum lycopersicum* et le *Nicandra physaloides* (Solanaceae), 1974

Antibus, R.K. see Kroehler, C.J., 750

Antonovics, J. see Jacobs, B.F., 847

Armstrong, K.C. see Aiken, S.G., 1

Arora, D.K. Effect of microorganisms on the aggressiveness of *Bipolaris sorokiniana*, 242

Asselin, A. see Parent, J.-G., 199

Asselin, A. see Grenier, J., 1227

Aston, M.J. see Hawkins, C.D.B., 1896

Ba, A.T. Structure et ultrastructure de l'haustorium du *Striga hermonthica*, une scrophulariacée parasite du mil (*Pennisetum typhoides*), 2111

Bååth, E. A critical examination of the soil washing technique with special reference to the effect of the size of the soil particles, 1566

Baayen, R.P. Responses related to lignification and intravascular periderm formation in carnations resistant to *Fusarium* wilt, 784

Baaziz, M., and Saaidi, M. Preliminary identification of date palm cultivars by esterase isoenzymes and peroxidase activities, 89

Badot, M.J. see Badot, P.M., 1693

Badot, P.M., Garrec, J.P., Millet, B., Badot, M.J., et Mercier, J. Dépérissement et état hydrique des aiguilles chez le *Picea abies*, 1693

Badour, S.S., and Kim, W.K. Detection of specific polypeptides in *Chlamydomonas segnis* adapted to atmospheric concentrations of CO_2, using a zwitterionic detergent, 1750

Bailey, L.G. see Baum, B.R., 401

Bailey, L.G. see Baum, B.R., 1848

Bailey, S.R., and Peterson, R.L. Ectomycorrhiza synthesis between isolated roots of *Eucalyptus pilularis* and *Pisolithus tinctorius*, 1237

Bain, J.F. see Desrochers, A.M., 1621

Baker, C.J. see Churchill, A.C.L., 75

Banerjee, S., and Maze, J. Variation in growth within and among families of Douglas-fir through a single season, 2452

Bardin, R. see Domenach, A.M., 1241

Bärlocher, F. see Harries, H., 1717

Barnes, W.J., and Dibble, E. The effects of beaver in riverbank forest succession, 40

Barr, D.J.S., and Désaulniers, N.L. Precise configuration of the chytrid zoospore, 869

Barron, G.L. Microcolonies of bacteria as a nutrient source for lignicolous and other fungi, 2505

Barthou, H., et Buis, R. Morphogenèse foliaire et activité photosynthétique chez le soja (*Glycine max*), 1039

Baskin, J.M., and Baskin, C.C. Role of temperature in regulating the timing of germination in *Portulaca oleracea*, 563

Baskin, C.C. see Baskin, J.M., 563

Bate, N.J., Rood, S.B., and Blake, T.J. Gibberellins and heterosis in poplar, 1148

Baum, B.R., and Bailey, L.G. A taxonomic study of the annual *Hordeum depressum* and related species, 401

Baum, B.R., and Bailey, L.G. A toxonomic investigation of *Hordeum arizonicum* (Poaceae: Triticeae) with reference to related species, 1848

Beakes, G.W., Canter, H.M., and Jaworski, G.H.M. Zoospore ultrastructure of *Zygorhizidium affluens* and *Z. planktonicum*, two chytrids parasitizing the diatom *Asterionella formosa*, 1054

Beckett, A., and Porter, R. The use of complementary fractures and low-temperature scanning electron microscopy to study hyphal – host cell surface adhesion between *Uromyces viciae-fabae* and *Vicia faba*, 645

Bédard, J. see Giroux, J.-F., 368

Bédard, J. see Giroux, J.-F., 955

Beer, S. see Holbrook, G.P., 577

Bégin, Y., et Lavoie, J. Dynamique d'une bordure forestière et variations récentes du niveau du fleuve Saint-Laurent, 1905

Bélisle, L., et Maillette, L. Stratégie de tolérance au vent chez *Salix uva-ursi*, une espèce de la toundra du Nouveau-Québec (Canada), 272

Bélisle, L. see Maillette, L., 1532

Belland, R.J., and Favreau, M. The moss flora of the Gaspé Peninsula (Quebec, Canada): list of species and preliminary analysis, 1780

Belliveau, D. see Garbary, D., 1308

Beltrano, J. see Willemoës, J.G., 2035

Benzing, D.H. see Owen, T.P., Jr., 941

Berch, S.M., Gamiet, S., and Deom, E. Mycorrhizal status of some plants of southwestern British Columbia, 1924

Berendse, F., Berg, B., and Bosatta, E. Erratum: The effect of lignin and nitrogen on the decomposition of litter in nutrient-poor ecosystems: a theoretical approach, 400

Berg, B. Dynamics of nitrogen (^{15}N) in decomposing Scots pine (*Pinus sylvestris*) needle litter. Long-term decomposition in a Scots pine forest. VI, 1539

Berg, B. see Berendse, F., 400

Berg, R.H., and McDowell, L. Cytochemistry of the wall of infected cells in *Casuarina* actinorhizae, 2038

Bergeron, Y. see Brisson, J., 1192

Berlyn, G.P. see Boyce, R.L., 2599

Bermadinger, E., Grill, D., and Golob, P. The different influence of magnesite emissions on the surface waxes of Norway spruce and silver fir, 125

Bernard, E.C. see Williamson, M.A., 2048

Bernier, L. see Jeng, R.S., 1325

Bertani, A. see Jacomini, E., 970

Bérubé, J.A., and Dessureault, M. Morphological characterization of *Armillaria ostoyae* and ***Armillaria sinapina*** sp.nov., 2027

Beversdorf, W.D. see Chuong, P.V., 1653

Beversdorf, W.D. see Kott, L.S., 1658

Beversdorf, W.D. see Kott, L.S., 1665

Beversdorf, W.D. see Charne, D.G., 1671

Beversdorf, W.D. see Chuong, P.V., 1676

Beversdorf, W.D. see Polsoni, L., 1681

Bewley, J.D. see Bonham-Smith, P.C., 1883

Bhadula, S.K. see Sawhney, V.K., 2013

Bhatnagar, D. see McCormick, S.P., 998

Bhattacharyya, M.K., and Ward, E.W.B. Phenylalanine ammonia-lyase activity in soybean hypocotyls and leaves following infection with *Phytophthora megasperma* f.sp. *glycinea*, 18

Biesboer, D.D. see Eckardt, N.A., 1359

Biesboer, D.D. see Eckardt, N.A., 2419

Birch, D.G. see Turpin, D.H., 2083

Bissett, J. Contribution toward a monograph of the genus *Ascosphaera*, 2541

Bissett, J., and Widden, P. A new species of *Beauveria* isolated from Scottish moorland soil, 361

Blake, T.J. see Bate, N.J., 1148

Blaker, T.W., and Greyson, R.I. Developmental variation of leaf surface wax of maize, *Zea mays*, 839

Blanche, C.A. see Schmitt, J.J., 156

Blanchette, R.A., Obst, J.R., Hedges, J.I., and Weliky, K. Resistance of hardwood vessels to degradation by white rot Basidiomycetes, 1841

Blanchette, R.A. see Abad, A.R., 677

Bliss, L.C. see Chapin, D.M., 809

Bliss, L.C. see Pfitsch, W.A., 989

Boasson, R., and Shaw, M. The effects of heat shock and inoculum density on growth and sporulation in axenic cultures of the flax rust fungus, 189

Boasson, R., and Shaw, M. The effects of glutamine, citrate, and pH on the growth and sporulation of *Melampsora lini* in axenic culture, 1230

Boehm, E.W.A., and McLaughlin, D.J. *Eocronartium muscicola:* a basidiomycetous moss parasite exploiting gametophytic transfer cells, 762

Boelen, M.G. see Lawrence, G.J., 61

Bohm, L.R. see Scagel, R.K., 2079

Bokenfohr, S.M., and Cass, D.D. An example of an included gynoecium in *Dicranostigma* (Papaveraceae), 2347

Boland, G.J., and Hall, R. Numbers and distribution of apothecia of *Sclerotinia sclerotiorum* in relation to white mold of white bean (*Phaseolus vulgaris*), 247

Bonan, G.B. see Shugart, H.H., 2634

Bonde, M.R. see Heath, M.C., 742

Bonham-Smith, P.C., Kapoor, M., and Bewley, J.D. A comparison of the stress responses of *Zea mays* seedlings as shown by qualitative changes in protein synthesis, 1883

Borowicz, V.A. Pulp composition and the invasion and decay of fruits by microbes, 1068

Bosatta, E. see Berendse, F., 400

Bouchard, A. see Villard, M.-A., 1142

Bouchard, A. see Brisson, J., 1192

Bough, M.A. see Colosi, J.C., 161

Boutin, C., et Morisset, P. Étude de la plasticité phénotypique chez le *Chrysanthemum leucanthemum*. I. Croissance, allocation de la biomasse et reproduction, 2285

Bowes, G. see Holbrook, G.P., 577

Bown, A. see Ciccarelli, B., 1616

Boxman, A.W., and Roelofs, J.G.M. Some effects of nitrate versus ammonium nutrition on the nutrient fluxes in *Pinus sylvestris* seedlings. Effects of mycorrhizal infection, 1091

Boyce, R.L., and Berlyn, G.P. Measuring the contact angle of water droplets on foliar surfaces, 2599

Brammall, R.A., and Higgins, V.J. A histological comparison of fungal colonization in tomato seedlings susceptible or resistant to *Fusarium* crown and root rot disease, 915

Brammall, R.A., and Higgins, V.J. The effect of glyphosate on resistance of tomato to *Fusarium* crown and root rot disease and on the formation of host structural defensive barriers, 1547

Brasier, C.M. see Jeng, R.S., 1325

Brassard, P. see Nosko, P., 2305

Briggs, G.M. see Jurik, T.W., 138

Brisson, J., Bergeron, Y., et Bouchard, A. Les successions secondaires sur sites mésiques dans le Haut-Saint-Laurent, Québec, Canada, 1192

Brodo, I.M. Studies of the lichen genus *Ochrolechia*. 1. A new classification for *Pertusaria subplicans* and *P. rhodoleuca*, 1264

Brookes, B.S. see Catling, P.M., 2323

Brundrett, M.C., and Kendrick, B. The mycorrhizal status, root anatomy, and phenology of plants in a sugar maple forest, 1153

Bruns, D.M. see Rood, S.B., 1101

Buis, R. see Barthou, H., 1039

Burda, S. see Jurzysta, M., 363

Burgess, R.L. Community organization: effects of landscape fragmentation, 2687

Bury, E. see Roquebert, M.-F., 2265

Cachon, D. see Genevès, L., 319

Canny, M.J. see Kevekordes, K.G., 94

Canter, H.M. see Beakes, G.W., 1054

Canvin, D.T. see Lin, J., 526

Cappadocia, M., and Ahmim, M. Comparison of two culture methods for the production of haploids by anther culture in *Solanum chacoense*, 1003

Cappadocia, M., Chrétien, L., and Laublin, G. Production of haploids in *Gerbera jamesonii* via ovule culture: influence of fall versus spring sampling on callus formation and shoot regeneration, 1107

Carey, C.K. see Krannitz, P.G., 1632

Carter, G.A., and Smith, W.K. Microhabitat comparisons of transpiration and photosynthesis in three subalpine conifers, 963

Carter, G.A., and Teramura, A.H. Nonsummer stomatal conductance for the invasive vines kudzu and Japanese honeysuckle, 2392

Cass, D.D., and Fabi, G.C. Structure and properties of sperm cells isolated from the pollen of *Zea mays*, 819

Cass, D.D. see Bokenfohr, S.M., 2347

Catling, P.M., and Catling, V.R. Two new species of *Lepanthes* (Orchidaceae) from Mexico, 2130
Catling, P.M., and Spicer, K.W. The status of *Juncus oronensis* (Juncaceae), 1574
Catling, P.M., Reznicek, A.A., and Brookes, B.S. The separation of *Carex disticha* and *Carex sartwellii* and the status of *Carex disticha* in North America, 2323
Catling, V.R. see Catling, P.M., 2130
Cavers, P.B. see Colosi, J.C., 161
Cavey, M.J. see Yeung, E.C., 1209
Cease, K.R. see Abad, A.R., 677
Cerligione, L.J., Liberta, A.E., and Anderson, R.C. Effects of soil moisture and soil sterilization on vesicular–arbuscular mycorrhizal colonization and growth of little bluestem (*Schizachyrium scoparium*), 757
Ceulemans, R., Impens, I., and Imler, R. Stomatal conductance and stomatal behavior in *Populus* clones and hybrids, 1404
Cevallos-Ferriz, S.R.S., and Stockey, R.A. Permineralized fruits and seeds from the Princeton chert (Middle Eocene) of British Columbia: Lythraceae, 303
Chalifour, F.-P., and Nelson, L.M. Short-term effects of nitrate on nitrate reductase activity and symbiotic dinitrogen fixation in faba bean and pea, 1639
Chalifour, F.-P., and Nelson, L.M. Effects of time of nitrate application on nitrate reductase activity, nitrate uptake, and symbiotic dinitrogen fixation in faba bean and pea, 1646
Chang, K.F. see Hwang, S.F., 1129
Chapin, D.M., and Bliss, L.C. Soil – plant water relations of two subalpine herbs from Mount St. Helens, 809
Charles, D.F. see Jackson, S.T., 1449
Charne, D.G., and Beversdorf, W.D. Improving microspore culture as a rapeseed breeding tool: the use of auxins and cytokinins in an induction medium, 1671
Chastagner, G.A. see Doss, R.P., 1204
Cheliak, W.M. see Pitel, J.A., 542
Chen, F.S.C. see Chen, T.H.H., 2491
Chen, T.H.H., and Chen, F.S.C. Relations between photoperiod, temperature, abscisic acid, and fall dormancy in alfalfa (*Medicago sativa*), 2491
Chen, T.H.H. see Gaudet, D.A., 1610
Chinnappa, C.C. see Hebda, R.J., 595
Chinnappa, C.C. see Chmielewski, J.G., 1583
Chlyah, A. see Zine, R., 1856
Chlyah, H. see Zine, R., 1856
Chmielewski, J.G., and Chinnappa, C.C. The genus *Antennaria* (Asteraceae: Inuleae) in North America: multivariate analysis of variation patterns in *Antennaria rosea* sensu lato, 1583
Chrétien, L. see Cappadocia, M., 1107
Christensen, N.L. see Roberts, M.R., 1080
Christian, J.K. see Doss, R.P., 1204
Chuong, P.V., Deslauriers, C., Kott, L.S., and Beversdorf, W.D. Effects of donor genotype and bud sampling on microspore culture of *Brassica napus*, 1653
Chuong, P.V., Pauls, K.P., and Beversdorf, W.D. High-frequency embryogenesis in male sterile plants of *Brassica napus* through microspore culture, 1676
Churchill, A.C.L., Baker, C.J., O'Neill, N.R., and Elgin, J.H., Jr. Development of *Colletotrichum trifolii* races 1 and 2 on alfalfa clones resistant and susceptible to anthracnose, 75
Ciafardini, G., and Marotta, B. Scanning electron microscopy of the sporosorus in *Polymyxa betae* (Plasmodiophoromycetes), 2518
Ciccarelli, B., and Bown, A. *Asparagus* mesophyll cells and the influence of CO_2 availability on changes in ATP levels in response to light, 1616
Citharel, J. see Guenegou, M.C., 1830
Cleary, A.L., and Hardham, A.R. Depolymerization of microtubule arrays in root tip cells by oryzalin and their recovery with modified nucleation patterns, 2353
Colangeli, A.M., and Owens, J.N. A phenological and cytological study of pollen development in western hemlock (*Tsuga heterophylla*), 907
Coleman, J.S., Jones, C.G., and Smith, W.H. Interactions between an acute ozone dose, eastern cottonwood, and *Marssonina* leaf spot: implications for pathogen community dynamics, 863
Colosi, J.C., Cavers, P.B., and Bough, M.A. Dormancy and survival in buried seeds of proso millet (*Panicum miliaceum*), 161
Combe, L., Quetin, Ph., et Decoux, G. Croissance et tubérisation du radis (*Raphanus sativus*) selon la durée d'éclairement, 1834
Condon, J.M. see Fineran, B.A., 1217
Corlett, M. see Krug, J.C., 1256
Cotter, H.V.T. see Miller, O.K., Jr., 2470
Côté, F. see Grenier, J., 1227
Couderc, H. see Moret, J., 2178
Courtin, P.J., Klinka, K., Feller, M.C., and Demaerschalk, J.P. An approach to quantitative classification of nutrient regimes of forest soils, 2640
Crompton, C.W. see Stahevitch, A.E., 2247
Crowder, A.A. see McLaughlin, B.E., 2317
Croxdale, J. see Pappas, T., 142
Cumming, J.R. see Amthor, J.S., 724
Currah, R.S., and Locquin-Linard, M. ***Spiromastix grisea*** sp.nov. and its relationship to other Onygenaceae with helical appendages, 1135
Cuypers, B., and Hahlbrock, K. Immunohistochemical studies of compatible and incompatible interactions of potato leaves with *Phytophthora infestans* and of the nonhost response to *Phytophthora megasperma*, 700
Dainty, J. see Jones, M.D., 934
D'Amelio, E.D., and Zeiger, E. Diversity in guard cell plastids of the Orchidaceae: a structural and functional study, 257
Dancik, B.P. see Zhu, H., 588
Danière, C. see Domenach, A.M., 1241
Darbyshire, S.J. see Aiken, S.G., 1
Darlington, A.B., and Rauser, W.E. Cadmium alters the growth of the ectomycorrhizal fungus *Paxillus involutus:* a new growth model accounts for changes in branching, 225
Davis, A.R., Shuel, R.W., and Peterson, R.L. Distribution of carbofuran and dimethoate in flowers and their secretion in nectar as related to nectary vascular supply, 1248
Davis, A.R., Peterson, R.L., and Schuel, R.W. Vasculature and ultrastructure of the floral and stipular nectaries of *Vicia faba* (Leguminosae), 1435
Davis, A.R., Shuel, R.W., and Peterson, R.L. Erratum: Distribution of carbofuran and dimethoate in flowers and their secretion in nectar as related to nectary vascular supply, 2602
Davis, J.I. Genetic and environmental contributions to multivariate morphological pattern in *Puccinellia* (Poaceae), 2436
Davis, J.S. see Holbrook, G.P., 577
Day, A.W. see Gardiner, R.B., 2474
De Buyser, J., Hartmann, C., Henry, Y., and Rode, A. Variations in long-term wheat somatic tissue culture, 1891
Decoux, G. see Combe, L., 1834
Delarea, J. see Garty, J., 2171
Delwaide, A. et Filion, L. Les coupes forestières dans les pessières à

lichens : effets sur la croissance et la régénération des conifères (Whapmagoostui, Québec subarctique), 1013
Demaerschalk, J.P. see Courtin, P.J., 2640
DeMason, D.A. see Kahn, T.L., 2527
Deom, E. see Berch, S.M., 1924
Désaulniers, N.L. see Barr, D.J.S., 869
Deslauriers, C. see Chuong, P.V., 1653
Desrochers, A.M., Bain, J.F., and Warwick, S.I. A biosystematic study of the *Carduus nutans* complex in Canada, 1621
Dessureault, M. see Bérubé, J.A., 2027
Dhillion, S.S., Anderson, R.C., and Liberta, A.E. Effect of fire on the mycorrhizal ecology of little bluestem (*Schizachyrium scoparium*), 706
Diamond, D.D., and Smeins, F.E. Gradient analysis of remnant True and Upper Coastal prairie grasslands of North America, 2152
Dibble, E. see Barnes, W.J., 40
Domenach, A.M., Kurdali, F., Danière, C., et Bardin, R. Détermination de l'identité isotopique de l'azote fixé par le *Frankia* associé au genre *Alnus*, 1241
Dorworth, C.E. see Funk, A., 295
Doss, R.P., Christian, J.K., and Chastagner, G.A. Infection of Easter lily leaves from conidia of *Botrytis elliptica*, 1204
Douglas, G.W., and Packer, J.G. ***Erigeron salishii***, a new *Erigeron* (Asteraceae) from British Columbia and Washington, 414
Downie, S.R. Morphological, cytological, and flavonoid variability of the *Arnica angustifolia* aggregate (Asteraceae), 24
Downie, S.R., Quintin, A., et McNeill, J. Le statut des *Euphrasia borealis, E. nemorosa* et *E. stricta* dans l'est de l'Amérique du Nord : une analyse numérique, 2208
Dubcovsky, J., and Martínez, A. Phenetic relationships in the *Festuca* spp. from Patagonia, 468
Duchesne, L.C., Peterson, R.L., and Ellis, B.E. Interaction between the ectomycorrhizal fungus *Paxillus involutus* and *Pinus resinosa* induces resistance to *Fusarium oxysporum*, 558
Duesing, J.H. see Jacobs, B.F., 847
Duff, K.E., and Smol, J.P. Chrysophycean stomatocysts from the postglacial sediments of a High Arctic lake, 1117
Duncan, D.R., and Himelick, E.B. Conidial production of *Verticillium dahliae* as influenced by a negative pressure potential, 67
Eckardt, N.A., and Biesboer, D.D. Ecological aspects of nitrogen fixation (acetylene reduction) associated with plants of a Minnesota wetland community, 1359
Eckardt, N.A., and Biesboer, D.D. A survey of nitrogen fixation (acetylene reduction) associated with *Typha* in Minnesota, 2419
Eddleman, L.E., and Romo, J.T. Spotted knapweed germination response to stratification, temperature, and water stress, 653
Eickmeier, W.G. The effects of desiccation rate on enzyme and protein-synthesis dynamics in the desiccation-tolerant pteridophyte *Selaginella lepidophylla*, 2574
Eisenreich, S.J. see Urban, N.R., 435
Elgin, J.H., Jr. see Churchill, A.C.L., 75
Ellingboe, A.H. see Kolmer, J.A., 891
Ellis, B. see Kott, L.S., 1665
Ellis, B.A. see Kummerow, J., 253
Ellis, B.E. see Duchesne, L.C., 558
Ellis, S.M. see MacDougall, S.C., 2595
Ellmore, G.S. see Stegmann, E.W., 714
Elrifi, I.R. see Turpin, D.H., 2083
Endo, R.M. see Jordan, C.M., 2385
Eros, R.W. see McNabb, S.A., 2377
Escarré, J., et Houssard, C. Aptitudes germinatives comparées de graines de *Rumex acetosella* issues de populations correspondant à des stades distincts d'une succession postculturale, 1381
Ewing, K. see Price, J.S., 2586
Fabi, G.C. see Cass, D.D., 819
Farris, M.A. Quantitative genetic variation and natural selection in *Cleome serrulata* growing along a mild soil moisture gradient, 1870
Favreau, M. see Belland, R.J., 1780
Felber, F. Phénologie de la floraison de populations diploïdes et tétraploïdes d'*Anthoxanthum alpinum* et d'*Anthoxanthum odoratum*, 2258
Feldman, L.J. see Whalen, M.C., 719
Feller, M.C. see Courtin, P.J., 2640
Fer, A. see Agaev, R., 328
Filion, L., et Marin, P. Modifications morphologiques de l'Épinette blanche soumise à la sédimentation éolienne en milieu dunaire, Québec subarctique, 1862
Filion, L. see Delwaide, A., 1013
Finck, K.E. see Funk, A., 2128
Fineran, B.A., and Condon, J.M. The stabilization of latex in laticifers of the Convolvulaceae: application of freezing methods for scanning electron microscopy, 1217
Fletcher, R.A. see Gao, J., 1178
Flinn, B.S., Webb, D.T., and Newcomb, W. The role of cell clusters and promeristemoids in determination and competence for caulogenesis by *Pinus strobus* cotyledons *in vitro*, 1556
Flinn, M.A., and Wein, R.W. Regrowth of forest understory species following seasonal burning, 150
Fobert, P.R., and Webb, D.T. Effects of polyamines, polyamine precursors, and polyamine biosynthetic inhibitors on somatic embryogenesis from eggplant (*Solanum melongena*) cotyledons, 1734
Folkeson, L., and Andersson-Bringmark, E. Impoverishment of vegetation in a coniferous forest polluted by copper and zinc, 417
Fortin, J.A. see Kropp, B.R., 289
Foster, D.R., King, G.A., and Santelmann, M.V. Patterned fens of western Labrador and adjacent Quebec: phytosociology, water chemistry, landform features, and dynamics of surface patterns, 2402
Fredeen, A.L., and Terry, N. Influence of vesicular–arbuscular mycorrhizal infection and soil phosphorus level on growth and carbon metabolism of soybean, 2311
Frego, K.A. see Shay, J.M., 2331
Frenzen, P.M., Krasny, M.E., and Rigney, L.P. Thirty-three years of plant succession on the Kautz Creek mudflow, Mount Rainier National Park, Washington, 130
Funk, A., and Dorworth, C.E. ***Mycosphaerella mycopappi*** sp.nov. and its anamorphs on leaves of *Acer macrophyllum*, 295
Funk, A., and Finck, K.E. ***Sydowia semenospora*** sp.nov. and its anamorph on amabilis fir, 2128
Fyson, A., Kerr, P., Lott, J.N.A., and Oaks, A. The structure of the rhizosphere of maize seedling roots, a cryogenic scanning electron microscopy study, 2431
Gaber, B.A., and Hutchinson, T.C. The neutralisation of acid rain by the leaves of four boreal forest species, 1877
Gaber, B.A., and Hutchinson, T.C. Chemical changes in simulated raindrops following contact with leaves of four boreal forest species, 2445
Gabr, M.A., Shakeeb, M.A., and Zid, I.M. Metabolic changes associated with growth of soybean as affected by pre-emergence application of metribuzin, 2380
Gagnon, D. see St-Jacques, C., 793

Gamiet, S. see Berch, S.M., 1924
Gao, J., Hofstra, G., and Fletcher, R.A. Anatomical changes induced by triazoles in wheat seedlings, 1178
Garbary, D., Belliveau, D., and Irwin, R. Apical control of band elongation in *Antithamnion defectum* (Ceramiaceae, Rhodophyta), 1308
Gardiner, R.B., and Day, A.W. Surface proteinaceous fibrils (fimbriae) on filamentous fungi, 2474
Garrec, J.P. see Badot, P.M., 1693
Garty, J. Comparisons between the metal content of a transplanted lichen before and after the start-up of a coal-fired power station in Israel, 668
Garty, J., and Delarea, J. Evidence of liberation of lichen ascospores in clusters and reports on contact between free-living algal cells and germinating lichen ascospores under natural conditions, 2171
Gates, D.M. see Jurik, T.W., 138
Gaudet, D.A., and Chen, T.H.H. Effect of freezing resistance and low-temperature stress on development of cottony snow mold (*Coprinus psychromorbidus*) in winter wheat, 1610
Geis, J.W. see Nichols, S.J., 116
Genevès, L., et Cachon, D. Structures et composition élémentaire d'inclusions cristallines dans les grains protéiques cotylédonaires de *Phaseolus vulgaris*, 319
Gerrath, J.M., and Posluszny, U. Morphological and anatomical development in the Vitaceae. I. Vegetative development in *Vitis riparia*, 209
Gerrath, J.M., and Posluszny, U. Morphological and anatomical development in the Vitaceae. II. Floral development in *Vitis riparia*, 1334
Gibson, A.C. see Schulte, P.J., 1073
Gibson, J.L., and Kimbrough, J.W. Ultrastructural observations on Helvellaceae (Pezizales). Ascosporogenesis of selected species of *Helvella*, 771
Gibson, J.L., and Kimbrough, J.W. Ultrastructural observations on Helvellaceae (Pezizales). II. Ascosporogenesis of *Gyromitra esculenta*, 1743
Gifford, D.J. An electrophoretic analysis of the seed proteins from *Pinus monticola* and eight other species of pine, 1808
Gil, G. see Racon, L., 663
Giroux, J.-F., and Bédard, J. Above- and below-ground macrophyte production in *Scirpus* tidal marshes of the St. Lawrence estuary, Quebec, 955
Giroux, J.-F., and Bédard, J. Estimating above- and below-ground macrophyte production in *Scirpus* tidal marshes, 368
Golden, J.W. Genome rearrangements during *Anabaena* heterocyst differentiation, 2098
Golob, P. see Bermadinger, E., 125
Gorenflot, R. see Moret, J., 2178
Govindaraju, D.R. Environmental variation and the relationship among correlated quantitative traits in jack pine, 183
Goynes, W.R. see McCormick, S.P., 998
Grandtner, M.M. see Sirois, L., 851
Gray, A.B. see Sackston, W.E., 203
Green, J.C., and Hori, T. The fine structure of mitosis in *Pavlova* (Prymnesiophyceae), 1497
Gregory, G.F. see Schreiber, L.R., 2338
Grenier, J., Côté, F., and Asselin, A. Analysis of extracellular proteins by native polyacrylamide gel electrophoresis with infiltrated leaf tissue: application to pathogenesis-related proteins, 1227
Greyson, R.I. see Blaker, T.W., 839
Grill, D. see Bermadinger, E., 125
Groth, J.V. see Lu, T.H., 885
Guenegou, M.C., Citharel, J., and Levasseur, J.E. The hybrid status of *Spartina anglica* (Poaceae). Enzymatic analysis of the species and of the presumed parents, 1830
Guignard, G. Les phytolithes chez le genre *Dactylis* tétraploïde, 1047
Haber, E. Hybridization of *Pyrola chlorantha* (Ericaceae) in North America, 1993
Hahlbrock, K. see Cuypers, B., 700
Hall, R. see Boland, G.J., 247
Hallet, J.N. see Agaev, R., 328
Hamer, J.J., and Rothwell, G.W. The vegetative structure of *Medullosa endocentrica* (Pteridospermopsida), 375
Hardham, A.R. see Cleary, A.L., 2353
Harries, H., and Bärlocher, F. *Pseudospiropes* sp., a fungal epiphyte on living stems of striped maple (*Acer pensylvanicum*), 1717
Harrison, L.M. see Mallett, K.I., 1111
Hartmann, C. see De Buyser, J., 1891
Hawke, M.A., and Maun, M.A. Some aspects of nitrogen, phosphorus, and potassium nutrition of three colonizing beach species, 1490
Hawkins, C.D.B., Whitecross, M.I., and Aston, M.J. Similarities between the effects of aphid infestation and cytokinin application on dark respiration and plant growth of legumes, 1896
Heard, S.B., and Semple, J.C. The *Solidago rigida* complex (Compositae: Astereae): a multivariate morphometric analysis and chromosome numbers, 1800
Heath, M.C. and Perumalla, C.J. Haustorial mother cell development by *Uromyces vignae* on collodion membranes, 736
Heath, M.C., and Bonde, M.R. The temporal relationship between the development of intracellular hyphae and haustoria by *Physopella zeae* in *Zea mays*, 742
Heath, M.C. see Meyer, S.L.F., 613
Heath, M.C. see Meyer, S.L.F., 624
Hebda, R.J., Chinnappa, C.C., and Smith, B.M. Pollen morphology of the Rosaceae of western Canada. II. *Dryas, Fragaria, Holodiscus*, 595
Hedges, J.I. see Blanchette, R.A., 1841
Hellum, A.K. see Pukittayacamee, P., 388
Henry, Y. see De Buyser, J., 1891
Hermanutz, L.A. see Weis, I.M., 2055
Herrera, M.T., and Zarra, I. Changes in the hemicellulosic polysaccharides of *Avena* coleoptile cell walls during growth of intact seedlings, 949
Hess, W.M. see Strobel, G.A., 2581
Hetrick, B.A.D., Kitt, D.G., and Wilson, G.T. Mycorrhizal dependence and growth habit of warm-season and cool-season tallgrass prairie plants, 1376
Heusser, C.J., and Peteet, D.M. Spores of *Lycopodium* and *Selaginella* of North Pacific America, 508
Higginbotham, K.O. see Zhu, H., 588
Higgins, V.J. see Brammall, R.A., 915
Higgins, V.J. see Brammall, R.A., 1547
Himelick, E.B. see Duncan, D.R., 67
Hoddinott, J., and Jolliffe, P. The influence of elevated carbon dioxide concentration on the partitioning of carbon in source leaves of *Phaseolus vulgaris*, 2396
Hoddinott, J. see Jolliffe, P.A., 805
Hodges, J.D. see Schmitt, J.J., 156
Hodson, M.J., and Sangster, A.G. Silica deposition in the inflorescence bracts of wheat (*Triticum aestivum*). I. Scanning electron microscopy and light microscopy, 829

Hofstra, G. see Gao, J., 1178
Hogue, R. see Parent, J.-G., 199
Holbrook, G.P., Beer, S., Spencer, W.E., Reiskind, J.B., Davis, J.S., and Bowes, G. Photosynthesis in marine macroalgae: evidence for carbon limitation, 577
Holmes, J.J. see Turpin, D.H., 2083
Homrich, M.H., and Wright, J.E. South American Gasteromycetes. II. The genus *Vascellum*, 1285
Hopkin, A.A., and Reid, J. Cytological studies of the M-haustorium of *Endocronartium harknessii:* morphology and ontogeny, 974
Hopkin, A.A., and Reid, J. Host cell responses in susceptible hard pine tissue infected with *Endocronartium harknessii*, 2511
Hori, T. see Green, J.C., 1497
Houssard, C. see Escarré, J., 1381
Hubac, J.M. see Moret, J., 2178
Hume, L. Long-term effects of 2,4-D application on plants. II. Herbicide avoidance by *Chenopodium album* and *Thlaspi arvense*, 230
Huner, N.P.A. see Newsted, W.J., 1755
Hutchinson, T.C., and Scott, M.G. The response of the feather moss, *Pleurozium schreberi*, to 5 years of simulated acid precipitation in the Canadian boreal forest, 82
Hutchinson, T.C. see Jones, M.D., 119
Hutchinson, T.C. see Jones, M.D., 934
Hutchinson, T.C. see Gaber, B.A., 1877
Hutchinson, T.C. see Gaber, B.A., 2445
Hwang, S.F., Neuwirth, M.E., and Chang, K.F. Surface morphology of aeciospores, urediniospores, and teliospores of *Uromyces trifolii-repentis*, 1129
Ichida, J.M. see Schreiber, L.R., 2338
Illman, W.I. see White, G.P., 2149
Imaichi, R. Developmental anatomy of the shoot apex of leptosporangiate ferns. II. Leaf ontogeny of *Adiantum capillus-veneris* (Adiantaceae), 1729
Imler, R. see Ceulemans, R., 1404
Impens, I. see Ceulemans, R., 1404
Imsande, J. see Selker, J.M.L., 683
Irwin, R. see Garbary, D., 1308
Jackson, S.T., and Charles, D.F. Aquatic macrophytes in Adirondack (New York) lakes: patterns of species composition in relation to environment, 1449
Jacobs, B.F., Duesing, J.H., Antonovics, J., and Patterson, D.T. Growth performance of triazine-resistant and -susceptible biotypes of *Solanum nigrum* over a range of temperatures, 847
Jacomini, E., Bertani, A., and Mapelli, S. Accumulation of polyethylene glycol 6000 and its effects on water content and carbohydrate level in water-stressed tomato plants, 970
Jacques, R. see Zine, R., 1856
Jana, S., Upadhyaya, M.K., and Acharya, S.N. Genetic basis of dormancy and differential response to sodium azide in *Avena fatua* seeds, 635
Järlfors, U. see Xuei, X.L., 1028
Jarvis, W.R. see Traquair, J.A., 926
Jaworski, G.H.M. see Beakes, G.W., 1054
Jean, M. see Villard, M.-A., 1142
Jeng, R.S., Bernier, L., and Brasier, C.M. A comparative study of cultural and electrophoretic characteristics of the Eurasian and North American races of *Ophiostoma ulmi*, 1325
Johnson, C.K., and West, N.E. Laboratory comparisons of five seed-trap designs for dry, windy environments, 346
Johnson, L.B. see Rose, R.J., 1352
Jolliffe, P.A., and Hoddinott, J. The assessment of net dry matter partitioning by stepwise multivariate analysis of variance, 805
Jolliffe, P. see Hoddinott, J., 2396
Jones, C.G. see Coleman, J.S., 863
Jones, E.B.G. see Leong, W.F., 2167
Jones, M.D., and Hutchinson, T.C. The effects of nickel and copper on the axenic growth of ectomycorrhizal fungi, 119
Jones, M.D., Dainty, J., and Hutchinson, T.C. The effect of infection by *Lactarius rufus* or *Scleroderma flavidum* on the uptake of ^{63}Ni by paper birch, 934
Jordan, C.M., Endo, R.M., and Jordan, L.S. Penetration and colonization of resistant and susceptible *Apium graveolens* by *Fusarium oxysporum* f.sp. *apii* race 2: callose as a structural response, 2385
Jordan, L.S. see Jordan, C.M., 2385
Joy, K.W. Ammonia, glutamine, and asparagine: a carbon–nitrogen interface, 2103
Jurik, T.W., Briggs, G.M., and Gates, D.M. Springtime recovery of photosynthetic activity of white pine in Michigan, 138
Jurzysta, M., Burda, S., Oleszek, W., and Ploszynski, M. The chemotaxonomic significance of laricytrin and medicagenic acid in the tribe Trigonelleae, 363
Kahn, T.L., and DeMason, D.A. *Citrus* pollen tube development in cross-compatible gynoecia, self-incompatible gynoecia, and *in vitro*, 2527
Kapoor, M. see Bonham-Smith, P.C., 1883
Kasenberg, T.R., and Traquair, J.A. Effects of phenolics on growth of *Fusarium oxysporum* f.sp. *radicis-lycopersici in vitro*, 1174
Kawchuk, L.M., Kim, W.K., and Nielsen, J. A comparison of polypeptides from the wheat bunt fungi *Tilletia laevis*, *T. tritici*, and *T. controversa*, 2367
Keddy, P.A. see Moore, D.R.J., 548
Keenan, T.J., and Lee, P.F. Ecological relationships of wild rice, *Zizania aquatica*. 7. Sediment nutrient depletion following introduction of wild rice to a shallow boreal lake, 236
Kendrick, B. see Nag Raj, T.R., 898
Kendrick, B. see Brundrett, M.C., 1153
Kerr, P. see Fyson, A., 2431
Kerr, S.J. Nuclear behavior during sporulation of the true slime mold *Didymium nigripes*, 687
Kershaw, K.A. see Nosko, P., 2305
Kershaw, K.A. see Price, J.S., 2586
Kevekordes, K.G., McCully, M.E., and Canny, M.J. The occurrence of an extended bundle sheath system (paraveinal mesophyll) in the legumes, 94
Kim, W.K., and Reisener, H.J. Evidence for binding between host proteins and pathogen wall components in the wheat stem rust system from affinity protein blotting technique, 1702
Kim, W.K., McNabb, S.A., and Klassen, G.R. A linear plasmid in *Tilletia controversa*, a fungal pathogen of wheat, 1098
Kim, W.K. see Badour, S.S., 1750
Kim, W.K. see Kawchuk, L.M., 2367
Kimbrough, J.W. see Gibson, J.L., 771
Kimbrough, J.W. see Gibson, J.L., 1743
Kimmins, J.P. Community organization: methods of study and prediction of the productivity and yield of forest ecosystems, 2654
King, G.A. see Foster, D.R., 2402
Kirchoff, B.K. Inflorescence and flower development in *Costus scaber* (Costaceae), 339
Kitt, D.G. see Hetrick, B.A.D., 1376
Klassen, G.R. see Kim, W.K., 1098
Klassen, G.R. see McNabb, S.A., 2377
Klein, M.B. see Lucarotti, C.J., 877
Klinka, K. see Courtin, P.J., 2640
Kohlmeyer, J., and Volkmann-Kohlmeyer, B. *Halographis* (Op-

egraphales), a new endolithic lichenoid from corals and snails, 1138

Kohlmeyer, J., and Volkmann-Kohlmeyer, B. *Ophiodeira* gen.nov. (Halosphaeriales) and a survey of higher marine fungi from Saint Croix (Virgin Islands), 2062

Kolmer, J.A., and Ellingboe, A.H. Genetic relationships between fertility and pathogenicity and virulence to rice in *Magnaporthe grisea*, 891

Kordan, H.A. see Rengel, Z., 1021

Kott, L.S., Polsoni, L., and Beversdorf, W.D. Cytological aspects of isolated microspore culture of *Brassica napus*, 1658

Kott, L.S., Polsoni, L., Ellis, B., and Beversdorf, W.D. Autotoxicity in isolated microspore cultures of *Brassica napus*, 1665

Kott, L.S. see Chuong, P.V., 1653

Kott, L.S. see Polsoni, L., 1681

Kramer, J.R. see Nosko, P., 2305

Krannitz, P.G., and Carey, C.K. Among-site differences in seedling size, growth, and survivorship in *Solidago flexicaulis*, 1632

Krasny, M.E., Zasada, J.C., and Vogt, K.A. Adventitious rooting of four Salicaceae species in response to a flooding event, 2597

Krasny, M.E. see Frenzen, P.M., 130

Kratz, T.K. A new method for estimating horizontal growth of the peat mat in basin-filling peatlands, 826

Krause, C.R. see Schreiber, L.R., 2338

Krishnamurthy, K.V. see Ranjani, K., 394

Kroehler, C.J., Antibus, R.K., and Linkins, A.E. The effects of organic and inorganic phosphorus concentration on the acid phosphatase activity of ectomycorrhizal fungi, 750

Kropp, B.R., and Fortin, J.A. The incompatibility system and relative ectomycorrhizal performance of monokaryons and reconstituted dikaryons of *Laccaria bicolor*, 289

Krug, J.C., and Corlett, M. A new species of *Bertia* from China, 1256

Kuć, J. see Xuei, X.L., 1028

Kummerow, A. see Kummerow, J., 253

Kummerow, J., Mills, J.N., Ellis, B.A., and Kummerow, A. Growth dynamics of cotton-grass (*Eriophorum vaginatum*), 253

Kurdali, F. see Domenach, A.M., 1241

Lachenaud, Ph. see Lanaud, C., 1986

Lafleur, P. Leaf conductance of four species growing in a subarctic marsh, 1367

Lanaud, C., Lachenaud, Ph., et Sounigo, O. Comportement en croisement des haploïdes doublés de cacaoyers (*Theobroma cacao*), 1986

Lapointe, L., et Simon, J.-P. Allocation de biomasse et d'énergie chez deux espèces d'*Aster* (Asteracées) de milieux contrastants et chez leur hybride naturel, 1687

Laprise, D., et Payette, S. Évolution récente d'une tourbière à palses (Québec subarctique) : analyse cartographique et dendrochronologique, 2217

Laublin, G. see Cappadocia, M., 1107

Laverty, T.M., and Plowright, R.C. Fruit and seed set in Mayapple (*Podophyllum peltatum*): influence of intraspecific factors and local enhancement near *Pedicularis canadensis*, 173

Lavoie, J. see Bégin, Y., 1905

Lawrence, G.J., Boelen, M.G., and Pryor, A. Transmission of double-stranded RNAs in flax rust, *Melampsora lini*, 61

Layzell, D.B. see Lin, J., 526

Lecocq, F.M. see Agaev, R., 328

Lee, L.S. see McCormick, S.P., 998

Lee, P.F. see Keenan, T.J., 236

Lefkovitch, L.P. see Aiken, S.G., 1

Leong, W.F., Tan, T.K., and Jones, E.B.G. Lignicolous marine fungi of Singapore, 2167

Le Petit, J. see Racon, L., 663

Letrouit-Galinou, M.-A. see Wagner, J., 2118

Levasseur, J.E. see Guenegou, M.C., 1830

Liberta, A.E. see Dhillion, S.S., 706

Liberta, A.E. see Cerligione, L.J., 757

Lichtwardt, R.W., and Williams, M.C. Distribution and species diversity of trichomycete gut fungi in aquatic insect larvae in two Rocky Mountain streams, 1259

Lin, J., Walsh, K.B., Canvin, D.T., and Layzell, D.B. Structural and physiological bases for effectivity of soybean nodules formed by fast-growing and slow-growing bacteria, 526

Linkins, A.E. see Kroehler, C.J., 750

LoBuglio, K.F., and Wilcox, H.E. Growth and survival of ectomycorrhizal and ectendomycorrhizal seedlings of *Pinus resinosa* on iron tailings, 55

Locquin-Linard, M. see Currah, R.S., 1135

Lott, J.N.A. see Ockenden, I., 1477

Lott, J.N.A. see Ockenden, I., 1482

Lott, J.N.A. see Ockenden, I., 1486

Lott, J.N.A. see Fyson, A., 2431

Lu, T.H., and Groth, J.V. Isozyme detection and variation in *Uromyces appendiculatus*, 885

Lucarotti, C.J., and Klein, M.B. Pathology of *Coelomomyces stegomyiae* in adult *Aedes aegypti* ovaries, 877

Luckert, D. see Sattler, R., 1270

Lutzoni, F. see Sirois, L., 851

Macaulay, A.J. see Shay, J.M., 2331

MacDonald, J.D. see Swiecki, T.J., 280

MacDonald, M.D. see Roberts, D.W.A., 658

MacDougall, S.C., Ellis, S.M., and Taylor, I.E.P. The occurrence of polar structures in callus cultures from mature lodgepole pine (*Pinus contorta* var. *latifolia*), 2595

MacGregor, A.W. see Van Caeseele, L., 1461

Madsen, J.D., and Adams, M.S. The germination of *Potamogeton pectinatus* tubers: environmental control by temperature and light, 2523

Maillette, L., Bélisle, L., et Seguin, M.K. Perte de compétitivité par adaptation au milieu physique : cas du *Salix uva-ursi* dans la toundra du Nouveau-Québec, 1532

Maillette, L. see Bélisle, L., 272

Mallett, K.I., and Harrison, L.M. The mating system of the fairy ring fungus *Marasmius oreades* and the genetic relationship of fairy rings, 1111

Malloch, D., and Sigler, L. The Eremomycetaceae (Ascomycotina), 1929

Manchester, S.R. see Stockey, R.A., 313

Mapelli, S. see Jacomini, E., 970

Marasas, W.F.O. see Van Wyk, P.S., 1364

Marin, P. see Filion, L., 1862

Marotta, B. see Ciafardini, G., 2518

Martínez, A. see Dubcovsky, J., 468

Matheron, R. see Racon, L., 663

Matsumoto, N., and Tajimi, A. Life-history strategy in *Typhula incarnata* and *T. ishikariensis* biotypes A, B, and C as determined by sclerotium production, 2485

Maun, M.A. see Hawke, M.A., 1490

Maze, J. see Robson, K.A., 11

Maze, J. see Scagel, R.K., 2079

Maze, J. see Banerjee, S., 2452

McCormick, S.P., Bhatnagar, D., Goynes, W.R., and Lee, L.S. An inhibitor of aflatoxin biosynthesis in developing cottonseed, 998

McCully, M.E. see Kevekordes, K.G., 94
McDowell, L. see Berg, R.H., 2038
McIntyre, G.I. Erratum: The role of water in the regulation of plant development, 207
McLaughlin, B.E., and Crowder, A.A. The distribution of *Agrostis gigantea* and *Poa pratensis* in relation to some environmental factors on a mine-tailings area at Copper Cliff, Ontario, 2317
McLaughlin, D.J. see Boehm, E.W.A., 762
McManus, P. see Pappas, T., 142
McNabb, S.A., Eros, R.W., and Klassen, G.R. Presence and absence of large inverted repeats in the mitochondrial DNA of Hyphochytriomycetes, 2377
McNabb, S.A. see Kim, W.K., 1098
McNeill, J. see Downie, S.R., 2208
Médard, R. La dorsoventralité initiale de l'ébauche foliaire du *Manihot esculenta*, 2273
Memon, A.R. Characterization of plasma membrane bound cation-stimulated ATPase isolated from the roots of *Cucumis sativus*, 1470
Mercier, J. see Badot, P.M., 1693
Metzler, B. The conidia of *Typhula incarnata*. 1. The ultrastructure of conidiogenesis, 1316
Metzler, B. The conidia of *Typhula incarnata*. 2. Their function as spermatia, 1321
Meyer, S.L.F., and Heath, M.C. A comparison of the death induced by fungal invasion or toxic chemicals in cowpea epidermal cells. I. Cell death induced by heavy metal salts, 613
Meyer, S.L.F., and Heath, M.C. A comparison of the death induced by fungal invasion or toxic chemicals in cowpea epidermal cells. II. Responses induced by *Erysiphe cichoracearum*, 624
Miller, O.K., Jr., and Cotter, H.V.T. Observations on tissue morphology and spore ultrastructure of *Calostoma junghuhnii* (Gasteromycetes), 2470
Miller, S.L. A systematic evaluation of basidiospore symmetry and tegumentation in hypogeous and gasteroid Russulales, 2561
Millet, B. see Badot, P.M., 1693
Mills, J.N. see Kummerow, J., 253
Moestrup, Ø., and Throndsen, J. Light and electron microscopical studies on *Pseudoscourfieldia marina*, a primitive scaly green flagellate (Prasinophyceae) with posterior flagella, 1415
Montaldi, E.R. see Willemoës, J.G., 2035
Moore, D.R.J., and Keddy, P.A. Effects of a water-depth gradient on the germination of lakeshore plants, 548
Moore-Landecker, E. Response of *Pyronema domesticum* to volatiles from microbes, seeds, and natural substrata, 194
Moret, J., Couderc, H., Gorenflot, R., et Hubac, J.M. La variabilité morphologique des taxons marocains du genre *Ornithogalum* sous-genre *Heliocharmos* : une étude biométrique, 2178
Morgan, P., and Neuenschwander, L.F. Seed-bank contributions to regeneration of shrub species after clear-cutting and burning, 169
Morin, H., and Payette, S. Buried seed populations in the montane, subalpine, and alpine belts of Mont Jacques-Cartier, Quebec, 101
Morisset, P. see Boutin, C., 2285
Morton, J.K. Variation in *Erigeron philadelphicus* (Compositae), 298
Mosse, B. Some studies relating to "independent" growth of vesicular–arbuscular endophytes, 2533
Mueller-Dombois, D. Community organization and ecosystem theory, 2620
Mulholland, S.C., Rapp, G., Jr., and Ollendorf, A.L. Variation in phytoliths from corn leaves, 2001
Murray, T.D. Influence of pH on *Cephalosporium gramineum*. I. Radial growth and dry matter accumulation, 2299
Nachmias, A. see Strobel, G.A., 2581
Nag Raj, T.R. Genera coelomycetum. XXIV. ***Chithramia*** anamorph gen. nov., 903
Nag Raj, T.R. Genera coelomycetum. XXV. ***Zetesimomyces*** anam. gen.nov., 2143
Nag Raj, T.R., and Kendrick, B. Genera coelomycetum. XXIII. ***Catenophoropsis*** anamorph gen.nov., 898
Nass, H.G. see Suzuki, M., 1723
Nautiyal, M.C. see Purohit, A.N., 205
Navratil, S. see Zhu, H., 588
Nebeker, T.E. see Schmitt, J.J., 156
Nelson, L.M. see Chalifour, F.-P., 1639
Nelson, L.M. see Chalifour, F.-P., 1646
Neuenschwander, L.F. see Morgan, P., 169
Neuwirth, M.E. see Hwang, S.F., 1129
Newcomb, E.H. see Selker, J.M.L., 683
Newcomb, W. see Flinn, B.S., 1556
Newsted, W.J., and Huner, N.P.A. Major sclerotial polypeptides of psychrophilic fungi: temperature regulation of *in vivo* synthesis in vegetative hyphae, 1755
Nicholls, K.H. Additions to the *Mallomonas* (Chrysophyceae) flora of Ontario, Canada, and a checklist of North American *Mallomonas* species, 349
Nichols, S.J., Schloesser, D.W., and Geis, J.W. Seasonal growth of the exotic submersed macrophyte *Nitellopsis obtusa* in the Detroit River of the Great Lakes, 116
Nielsen, J. see Kawchuk, L.M., 2367
North, M.C. see Ruch, D.G., 583
Nosko, P., Brassard, P., Kramer, J.R., and Kershaw, K.A. The effect of aluminum on seed germination and early seedling establishment, growth, and respiration of white spruce (*Picea glauca*), 2305
Oaks, A. see Fyson, A., 2431
Obst, J.R. see Blanchette, R.A., 1841
Ockenden, I., and Lott, J.N.A. Mineral storage in *Cucurbita* embryos. I. Calcium storage in relation to embryo size, 1477
Ockenden, I., and Lott, J.N.A. Mineral storage in *Cucurbita* embryos. II. Calcium storage in reciprocal hybrids of *Cucurbita maxima* and *Cucurbita andreana*, 1482
Ockenden, I., and Lott, J.N.A. Mineral storage in *Cucurbita* embryos. III. Calcium storage as compared with storage of magnesium, potassium, and phosphorus, 1486
Oleszek, W. see Jurzysta, M., 363
Ollendorf, A.L. see Mulholland, S.C., 2001
Olson, A.R. Postpollination placental development of a diploid *Solanum tuberosum*, 1813
Omielan, J.A., and Pell, E.J. The role of photosynthetic activity in the response of isolated *Glycine max* mesophyll cells to ozone, 745
O'Neill, N.R. see Churchill, A.C.L., 75
Orlóci, L. Community organization: recent advances in numerical methods, 2626
Ormeno-Nunez, J., Reeleder, R.D., and Watson, A.K. A new species of *Phomopsis* recovered from field bindweed (*Convolvulus arvensis*), 2228
Owen, T.P., Jr., Benzing, D.H., and Thomson, W.W. Apoplastic and ultrastructural characterizations of the trichomes from the carnivorous bromeliad *Brocchinia reducta*, 941
Owens, J.N. see Colangeli, A.M., 907
Packer, J.G. see Douglas, G.W., 414
Pandey, V.B. see Singh, U.P., 1901

Pappas, T., McManus, P., Vanderveer, P., and Croxdale, J. Characterization of stomatal development in *Dianthus chinensis*, 142
Parent, J.-G., Hogue, R., and Asselin, A. Serological relationships between pathogenesis-related leaf proteins from four *Nicotiana* species, *Solanum tuberosum*, and *Chenopodium amaranticolor*, 199
Pargney, J.-C. Effets d'une plasmolyse prolongée sur les tubes polliniques angiospermiens en culture *in vitro* : étude ultrastructurale, 108
Parkinson, D. see Taylor, B., 1933
Parkinson, D. see Taylor, B.R., 1940
Parkinson, D. see Taylor, B.R., 1948
Parkinson, D. see Taylor, B.R., 1960
Parkinson, D. see Taylor, B.R., 1966
Patterson, D.T. see Jacobs, B.F., 847
Pauls, K.P. see Chuong, P.V., 1676
Payette, S. see Morin, H.,101
Payette, S. see Laprise, D., 2217
Pell, E.J. see Omielan, J.A., 745
Peng, Y.-L. and Shishiyama, J. Temporal sequence of cytological events in rice leaves infected with *Pyricularia oryzae*, 730
Perumalla, C.J. see Heath, M.C., 736
Peteet, D.M. see Heusser, C.J., 508
Peterson, R.L. see Duchesne, L.C., 558
Peterson, R.L. see Bailey, S.R., 1237
Peterson, R.L. see Davis, A.R., 1248
Peterson, R.L. see Davis, A.R., 1435
Peterson, R.L. see Davis, A.R., 2602
Pfitsch, W.A., and Bliss, L.C. Recovery of net primary production in subalpine meadows of Mount St. Helens following the 1980 eruption, 989
Phipps, J.B. see Smith, P.G., 1914
Pitel, J.A., and Cheliak, W.M. Metabolism of enzymes with imbibition and germination of seeds of jack pine (*Pinus banksiana*), 542
Pizzolato, T.D. Vascular system of the floret of *Phleum pratense*, 1818
Ploszynski, M. see Jurzysta, M., 363
Plowright, R.C. see Laverty, T.M., 173
Poinsot-Balaguer, N. see Racon, L., 663
Polsoni, L., Kott, L.S., and Beversdorf, W.D. Large-scale microspore culture technique for mutation–selection studies in *Brassica napus*, 1681
Polsoni, L. see Kott, L.S., 1658
Polsoni, L. see Kott, L.S., 1665
Porter, R. see Beckett, A., 645
Posluszny, U. see Gerrath, J.M., 209
Posluszny, U. see Gerrath, J.M., 1334
Powell, G.R. see Remphrey, W.R., 2234
Prentice, H.C. see White, R.J., 450
Price, J.S., Ewing, K., Woo, M.-K., and Kershaw, K.A. Vegetation patterns in James Bay coastal marshes. II. Effects of hydrology on salinity and vegetation, 2586
Primack, R.B. see Stegmann, E.W., 714
Privat, G. see Andary, C., 1007
Pryor, A. see Lawrence, G.J., 61
Puech, S. see Andary, C., 1007
Pukittayacamee, P., and Hellum, A.K. Seed germination in *Acacia auriculiformis:* developmental aspects, 388
Puri, R. see Sandhu, D.K., 2162
Purohit, A.N., and Nautiyal, M.C. Inhibitory effect of cotyledons on plumule development in two alpine rosettes, 205
Quetin, Ph. see Combe, L., 1834
Quintin, A. see Downie, S.R., 2208
Racon, L., Sadaka, N., Gil, G., Le Petit, J., Matheron, R., Poinsot-Balaguer, N., Sigoillot, J.C., and Woltz, P. Histological and chemical changes in tannic compounds of evergreen oak leaf litter, 663
Racusen, D. Patatin in wild species of *Solanum*, 727
Ramakrishnan, P.S. see Swamy, P.S., 1465
Ranjani, K., and Krishnamurthy, K.V. The gelatinous fibres of Caesalpiniaceae, 394
Rapp, G., Jr. see Mulholland, S.C., 2001
Rascol, J.P. see Andary, C., 1007
Rastetter, E.B. see Shugart, H.H., 2634
Rauser, W.E. see Darlington, A.B., 225
Reddy, M.K., and Subrahmanyam, N.C. Inheritance and transmission of plastid alterations in a green–white stripe mutant of pearl millet (*Pennisetum americanum*), 179
Redhead, S.A. Notes on the genus *Xeromphalina* (Agaricales, Xerulaceae) in Canada: biogeography, nomenclature, taxonomy, 479
Redmann, R.E. see Schwarz, A.G., 2424
Reeleder, R.D. see Ormeno-Nunez, J., 2228
Reich, P.B., Schoettle, A., Stroo, H.F., Troiano, J., and Amundson, R.G. Erratum: Effects of ozone and acid rain on white pine (*Pinus strobus*) seedlings grown in five soils. I. Net photosynthesis and growth, 207
Reich, P.B., Schoettle, A.W., Stroo, H.F., and Amundson, R.G. Effects of ozone and acid rain on white pine (*Pinus strobus*) seedlings grown in five soils. III. Nutrient relations, 1517
Reich, P.B. see Stroo, H.F., 1510
Reid, J. see Hopkin, A.A., 974
Reid, J. see Hopkin, A.A., 2511
Reisner, H.J. see Kim, W.K., 1702
Reiskind, J.B. see Holbrook, G.P., 577
Remphrey, W.R., and Powell, G.R. Crown architecture of *Larix laricina* saplings: production and disposition of foliage and their simulation, 2234
Rengel, Z., and Kordan, H.A. Photosensitivity of anthocyanin production in dark-grown and light-pretreated *Zea mays* seedlings, 1021
Reznicek, A.A. see Catling, P.M., 2323
Richardson, C.J. see Whigham, D.F., 568
Riechers, G.H., and Strain, B.R. Growth of blue grama (*Bouteloua gracilis*) in response to atmospheric CO_2 enrichment, 1570
Rigney, L.P. see Frenzen, P.M., 130
Roberts, D.W.A., and MacDonald, M.D. Role of chromosome 5A in wheat in control of some traits associated with cold hardiness of winter wheat, 658
Roberts, M.R., and Christensen, N.L. Vegetation variation among mesic successional forest stands in northern lower Michigan, 1080
Robson, K.A., Scagel, R.K., and Maze, J. Sources of morphological variation and organization within and among populations of *Balsamorhiza sagittata*, 11
Rode, A. see De Buyser, J., 1891
Roelofs, J.G.M. see Boxman, A.W., 1091
Romo, J.T. see Eddleman, L.E., 653
Rood, S.B., Bruns, D.M., and Smienk, S.J. Gibberellins and sorghum development, 1101
Rood, S.B. see Bate, N.J., 1148
Roos, U.-P., and Aldrich, H.C. Intracellular localization and morphology of rhabdovirus-like particles in dodder (*Cuscuta* sp.), 2499

Roquebert, M.-F., et Bury, E. *Leptoxyphium* : Pycnide ou synnéma?, 2265
Rose, R.J., Schlarbaum, S.E., Small, E., and Johnson, L.B. Chloroplast genomic variation and phylogeny in *Medicago* section *Intertextae*, 1352
Rothwell, G.W. see Hamer, J.J., 375
Roussel, J.L. see Andary, C., 1007
Ruch, D.G., and North, M.C. Ultrastructure of dormant basidiospores of *Agaricus campestris*, 583
Russell, D.W. Isolation of angolide from *Pithomyces atro-olivaceus* and *P. graminicola*, 1474
Rutishauser, R. see Sattler, R., 1270
Saaidi, M. see Baaziz, M., 89
Sackston, W.E., Vlmard, B., and Gray, A.B. Effect of penicillin and of streptomycin sulphate on infection of sunflower seedlings by *Plasmopara halstedii*, 203
Sadaka, N. see Racon, L., 663
Sandhu, D.K., and Puri, R. The developmental patterns of endo-β-1,4-glucanase and β-glucosidase of *Chaetomium erraticum*, 2162
Sangster, A.G. see Hodson, M.J., 829
Santelmann, M.V. see Foster, D.R., 2402
Sattler, R., Luckert, D., and Rutishauser, R. Symmetry in plants: phyllode and stipule development in *Acacia longipedunculata*, 1270
Sattler, R. see Anthony, M., 1974
Savidge, R.A. A biochemical indicator of commitment to tracheid differentiation in *Pinus contorta*, 2009
Sawhney, V.K., and Bhadula, S.K. Microsporogenesis in the normal and male-sterile stamenless-2 mutant of tomato (*Lycopersicon esculentum*), 2013
Scagel, R.K., Maze, J., Bohm, L.R., and Vogt, N.L. Erratum: Quantitative studies in early ovule development. I. Intraindividual variation in *Nothofagus antarctica*, 2079
Scagel, R.K. see Robson, K.A., 11
Scheffer, R.J. see Whiteman Runs Him, K., 642
Schlarbaum, S.E. see Rose, R.J., 1352
Schloesser, D.W. see Nichols, S.J., 116
Schmitt, J.J., Nebeker, T.E., Blanche, C.A., and Hodges, J.D. Physical properties and monoterpene composition of xylem oleoresin along the bole of *Pinus taeda* in relation to southern pine beetle attack distribution, 156
Schoettle, A. see Reich, P.B., 207
Schoettle, A.W. see Stroo, H.F., 1510
Schoettle, A.W. see Reich, P.B., 1517
Schofield, W.B. Bryogeography and the bryophytic characterization of biogeoclimatic zones of British Columbia, Canada, 2673
Schreiber, L.R., Gregory, G.F., Krause, C.R., and Ichida, J.M. Production, partial purification, and antimicrobial activity of a novel antibiotic produced by a *Bacillus subtilis* isolate from *Ulmus americana*, 2338
Schulte, P.J., and Gibson, A.C. Hydraulic conductance and tracheid anatomy in six species of extant seed plants, 1073
Schwarz, A.G., and Redmann, R.E. C_4 grasses from the boreal forest region of northwestern Canada, 2424
Scott, M.G. see Hutchinson, T.C., 82
Seagull, R.W. see Weerdenburg, C., 1707
Seguin, M.K. see Maillette, L., 1532
Selker, J.M.L., Imsande, J., and Newcomb, E.H. Curled root hairs are a site of entry for *Bradyrhizobium* infecting hydroponically grown soybean plants with mature root systems, 683
Semple, J.C. see Heard, S.B., 1800
Shakeeb, M.A. see Gabr, M.A., 2380
Shaw, L.A. see Traquair, J.A., 926
Shaw, M. see Boasson, R., 189
Shaw, M. see Boasson, R., 1230
Shay, J.M., Macaulay, A.J., and Frego, K.A. A morphological comparison of *Scirpus acutus* and *S. validus* in southern Manitoba, 2331
Shay, J.M. see Zwiazek, J.J., 535
Shishiyama, J. see Peng, Y.-L., 730
Shuel, R.W. see Davis, A.R., 1248
Shuel, R.W. see Davis, A.R., 1435
Shuel, R.W. see Davis, A.R., 2602
Shugart, H.H., Bonan, G.B., and Rastetter, E.B. Niche theory and community organization, 2634
Sigler, L. see Malloch, D., 1929
Sigoillot, J.C. see Racon, L., 663
Silvester, J.K. see Silvester, W.B., 1762
Silvester, J.K. see Silvester, W.B., 1772
Silvester, W.B., Whitbeck, J., Silvester, J.K., and Torrey, J.G. Growth, nodule morphology, and nitrogenase activity of *Myrica gale* with roots grown at various oxygen levels, 1762
Silvester, W.B., Silvester, J.K., and Torrey, J.G. Adaptation of nitrogenase to varying oxygen tension and the role of the vesicle in root nodules of *Alnus incana* ssp. *rugosa*, 1772
Simon, J.-P. see Lapointe, L., 1687
Singh, U.P., Pandey, V.B., Singh, K.N., and Singh, R.D.N. Antifungal activity of some new flavones and flavone glycosides of *Echinops echinatus*, 1901
Singh, K.N. see Singh, U.P., 1901
Singh, R.D.N. see Singh, U.P., 1901
Sirois, L., Lutzoni, F. et Grandtner, M.M. Les lichens sur serpentine et amphibolite du plateau du mont Albert, Gaspésie, Québec, 851
Siver, P.A. Distribution of scaled chrysophytes in 17 Adirondack (New York) lakes with special reference to pH, 1391
Small, E. see Rose, R.J., 1352
Smeins, F.E. see Diamond, D.D., 2152
Smienk, S.J. see Rood, S.B., 1101
Smith, B.M. see Hebda, R.J., 595
Smith, P.G., and Phipps, J.B. Studies in *Crataegus* (Rosaceae, Maloideae). XIX. Breeding behavior in Ontario *Crataegus* series *Rotundifoliae*, 1914
Smith, W.H. see Coleman, J.S., 863
Smith, W.K. see Carter, G.A., 963
Smol, J.P. see Duff, K.E., 1117
Sounigo, O. see Lanaud, C., 1986
Spencer, W.E. see Holbrook, G.P., 577
Spicer, K.W. see Catling, P.M., 1574
St-Jacques, C., et Gagnon, D. La végétation forestière du secteur nord-ouest de la vallée du Saint-Laurent, Québec, 793
Stahevitch, A.E., and Wojtas, W.A. Chromosome numbers of some North American species of *Artemisia* (Asteraceae), 672
Stahevitch, A.E., Crompton, C.W., and Wojtas, W.A. Cytogenetic studies of leafy spurge, *Euphorbia esula*, and its allies (Euphorbiaceae), 2247
Stegmann, E.W., Primack, R.B., and Ellmore, G.S. Absorption of nutrient exudates from terrapin eggs by roots of *Ammophila breviligulata* (Gramineae), 714
Stephenson, S.L. Distribution and ecology of Myxomycetes in temperate forests. I. Patterns of occurrence in the upland forests of southwestern Virgina, 2187
Stockey, R.A., and Manchester, S.R. A fossil flower with *in situ* *Pistillipollenites* from the Eocene of British Columbia, 313

Stockey, R.A. see Cevallos-Ferriz, S.R.S., 303
Stone, J.K. Fine structure of latent infections by *Rhabdocline parkeri* on Douglas-fir, with observations on uninfected epidermal cells, 45
Strain, B.R. see Riechers, G.H., 1570
Strobel, G.A., Nachmias, A., and Hess, W.M. Improvements in the growth and yield of olive trees by transformation with the Ri plasmid of *Agrobacterium rhizogenes*, 2581
Strobel, G.A. see Whiteman Runs Him, K., 642
Stroo, H.F., Reich, P.B., Schoettle, A.W., and Amundson, R.G. Effects of ozone and acid rain on white pine (*Pinus strobus*) seedlings grown in five soils. II. Mycorrhizal infection, 1510
Stroo, H.F. see Reich, P.B., 207
Stroo, H.F. see Reich, P.B., 1517
Subrahmanyam, N.C. see Reddy, M.K., 179
Summerbell, R.C. Benomyl-tolerant microfungi associated with mycorrhizae of black spruce, 553
Sumner, M.J., and Van Caeseele, L. Ovule development in *Brassica campestris*: a light microscope study, 2459
Suzuki, M., and Nass, H.G. Fructan in winter wheat, triticale, and fall rye cultivars of varying cold hardiness, 1723
Swamy, P.S., and Ramakrishnan, P.S. Growth and allocation patterns of *Mikania micrantha* in successional environments after slash and burn agriculture, 1465
Swiecki, T.J., and MacDonald, J.D. Histology of chrysanthemum roots exposed to salinity stress and *Phytophthora cryptogea*, 280
Tajimi, A. see Matsumoto, N., 2485
Tan, T.K. see Leong, W.F., 2167
Taylor, B., and Parkinson, D. A new microcosm approach to litter decomposition studies, 1933
Taylor, B.R., and Parkinson, D. Annual differences in quality of leaf litter of aspen (*Populus tremuloides*) affecting rates of decomposition, 1940
Taylor, B.R., and Parkinson, D. Respiration and mass loss rates of aspen and pine leaf litter decomposing in laboratory microcosms, 1948
Taylor, B.R., and Parkinson, D. Aspen and pine leaf litter decomposition in laboratory microcosms. I. Linear versus exponential models of decay, 1960
Taylor, B.R., and Parkinson, D. Aspen and pine leaf litter decomposition in laboratory microcosms. II. Interactions of temperature and moisture level, 1966
Taylor, G.J. Mechanisms of aluminum tolerance in *Triticum aestivum* (wheat). V. Nitrogen nutrition, plant-induced pH, and tolerance to aluminum; correlation without causality?, 694
Taylor, I.E.P. see MacDougall, S.C., 2595
Teramura, A.H. see Carter, G.A., 2392
Terry, N. see Fredeen, A.L., 2311
Thomson, W.W. see Owen, T.P., Jr., 941
Throndsen, J. see Moestrup, Ø., 1415
Torrey, J.G. see Silvester, W.B., 1762
Torrey, J.G. see Silvester, W.B., 1772
Traquair, J.A., Shaw, L.A., and Jarvis, W.R. New species of *Stephanoascus* with *Sporothrix* anamorphs, 926
Traquair, J.A. see Kasenberg, T.R., 1174
Troiano, J. see Reich, P.B., 207
Turpin, D.H., Elrifi, I.R., Birch, D.G., Weger, H.G., and Holmes, J.J. Interactions between photosynthesis, respiration, and nitrogen assimilation in microalgae, 2083
Upadhyaya, M.K. see Jana, S., 635
Urban, N.R., and Eisenreich, S.J. Nitrogen cycling in a forested Minnesota bog, 435
Van Caeseele, L. and MacGregor, A.W. Alpha-amylase in seed hulls of developing *Brassica campestris*, 1461
Van Caeseele, L. see Sumner, M.J., 2459
van der Meer, J.P. see Zhang, X., 2022
Vanderveer, P. see Pappas, T., 142
Van Wyk, P.S., Venter, E., Wingfield, M.J., and Marasas, W.F.O. Enteroblastic first macroconidia in *Fusarium crookwellense*, 1364
Vazquez, A., and Vazquez-Ramos, J. Characteristics of the major DNA polymerases found during early and late maize germination, 1186
Vazquez-Ramos, J. see Vazquez, A., 1186
Venter, E. see Van Wyk, P.S., 1364
Verwijst, T. see White, R.J., 450
Villard, M.-A., Jean, M., et Bouchard, A. Microhabitat du *Linaria canadensis* (Scrophulariceae) dans le Haut-Saint-Laurent (Québec), 1142
Vimard, B. see Sackston, W.E., 203
Vogt, K.A. see Krasny, M.E., 2597
Vogt, N.L. see Scagel, R.K., 2079
Volkmann-Kohlmeyer, B. see Kohlmeyer, J., 1138
Volkmann-Kohlmeyer, B. see Hohlmeyer, J., 2062
Wagner, J., et Letrouit-Galinou, M.-A. Structure et ontogenèse du thalle squamuleux du lichen *Endocarpon pusillum* (Pyrénolichens, Verrucariacées), 2118
Wali, M.K. Reflections on the life, work, and times of Vladimir Joseph Krajina, 2605
Walsh, K.B. see Lin, J., 526
Ward, E.W.B. see Bhattacharyya, M.K., 18
Warwick, S.I. see Desrochers, A.M., 1621
Watson, A.K. see Ormeno-Nunez, J., 2228
Webb, D.T. see Flinn, B.S., 1556
Webb, D.T. see Fobert, P.R., 1734
Weerdenburg, C., and Seagull, R.W. The effects of taxol and colchicine on microtubule and microfibril arrays in elongating plant cells in culture, 1707
Weger, H.G. see Turpin, D.H., 2083
Wein, R.W. see Flinn, M.A., 150
Weis, I.M., and Hermanutz, L.A. The population biology of the arctic dwarf birch, *Betula glandulosa*: seed rain and the germinable seed bank, 2055
Weliky, K. see Blanchette, R.A., 1841
West, N.E. see Johnson, C.K., 346
Westphal, E. see Anthony, M., 1974
Whalen, M.C., and Feldman, L.J. The effect of ethylene on root growth of *Zea mays* seedlings, 719
Whalen, M.C. The effect of mechanical impedance on ethylene production by maize roots, 2139
Whigham, D.F., and Richardson, C.J. Soil and plant chemistry of an Atlantic white cedar wetland on the Inner Coastal Plain of Maryland, 568
Whitbeck, J. see Silvester, W.B., 1762
White, G.P., and Illman, W.I. ***Dicholobodigitus niger*** (Hyphomycetes), gen. et sp. nov., 2149
White, R.J., Prentice, H.C., and Verwijst, T. Automated image acquisition and morphometric description, 450
Whitecross, M.I. see Hawkins, C.D.B., 1896
Whiteman Runs Him, K., Scheffer, R.J., and Strobel, G.A. Factors influencing root formation in dicots by *Agrobacterium rhizogenes*, 642
Widden, P. see Bissett, J., 361
Wilcox, H.E. see LoBuglio, K.F., 55

Wilkinson, H.T. *Pithomyces chartarum* isolated from *Poa pratensis* swards, 72

Willemoës, J.G., Beltrano, J., and Montaldi, E.R. Diagravitropic growth promoted by high sucrose contents in *Paspalum vaginatum*, and its reversion by gibberellic acid, 2035

Williams, M.C. see Lichtwardt, R.W., 1259

Williamson, M.A., and Bernard, E.C. Life cycle of a new species of *Blumeriella* (Ascomycotina: Dermateaceae), a leaf-spot pathogen of spirea, 2048

Willison, J.H.M. see Abeysekera, R.M., 460

Willms, W.D. Response of rough fescue (*Festuca scabrella*) to light, water, temperature, and litter removal, under controlled conditions, 429

Wilson, G.T. see Hetrick, B.A.D., 1376

Wingfield, M.J. see Van Wyk, P.S., 1364

Wojtas, W.A. see Stahevitch, A.E., 672

Wojtas, W.A. see Stahevitch, A.E., 2247

Wolfe, C.B., Jr. Studies in the genus *Xanthoconium* (Boletaceae). II. Type studies. 1., 2134

Woltz, P. see Racon, L., 663

Woo, M.-K. see Price, J.S., 2586

Wright, J.E. see Homrich, M.H., 1285

Xuei, X.L., Järlfors, U., and Kuć, J. Ultrastructural changes associated with induced systemic resistance of cucumber to disease: host response and development of *Colletotrichum lagenarium* in systemically protected leaves, 1028

Yeung, E.C., and Cavey, M.J. Cellular endosperm formation in *Phaseolus vulgaris*. I. Light and scanning electron microscopy, 1209

Zarra, I. see Herrera, M.T., 949

Zasada, J.C. see Krasny, M.E., 2597

Zeiger, E. see D'Amelio, E.D., 257

Zhang, X., and van der Meer, J.P. A genetic study on *Gracilaria sjoestedtii*, 2022

Zhu, H., Higginbotham, K.O., Dancik, B.P., and Navratil, S. Intraspecific genetic variability of isozymes in the ectomycorrhizal fungus *Suillus tomentosus*, 588

Zid, I.M. see Gabr, M.A., 2380

Zine, R., Chlyah, H., Chlyah, A., et Jacques, R. Action de la lumière blanche et de quelques radiations monochromatiques sur la morphogenèse *in vitro* du *Linum usitatissimum*, 1856

Zwiazek, J.J., and Shay, J.M. The effects of sodium fluoride on cytoplasmic leakage and the lipid and fatty acid composition of jack pine (*Pinus banksiana*) seedlings, 535